

**Safety Data Sheet**  
according to Regulation (EC) No.  
1907/2006 (REACH)

**SCHWEIZER-EFFAX** since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

**1.1 Product identifier**

HEY Tex Imprä Spray  
Unique Formula Identifier (UFI) : 4GFE-2KM2-VW16-DFUJ

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Impregnation products for finished textiles and leather goods

**1.3 Details of the supplier of the safety data sheet**

**Supplier**

Schweizer-Effax GmbH

**Street :** Westring 24

**Postal code/City :** 48356 Nordwalde

**Country :** Deutschland

**Telephone :** +49 2573 9373-0

**Telefax :** +49 2573 9373-73

**Information contact :** info@schweizer-effax.de  
www.schweizer-effax.de

**1.4 Emergency telephone number**

siehe Telefonnummer des Herstellers (während normaler Geschäftszeiten) oder:

Tox Info Suisse: 145 (24-h-Notrufnummer)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Aerosol 1 ; H229 - Aerosols : Category 1 ; Pressurised container: May burst if heated.

Aerosol 1 ; H222 - Aerosols : Category 1 ; Extremely flammable aerosol.

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

**Additional information**

The product does have a sealed spraying device.

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



Flame (GHS02) · Exclamation mark (GHS07)

**Signal word**

Danger

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : HEY Tex Impra Spray  
Revision date : 07.10.2024  
Print date : 23.07.2025

Version (Revision) : 4.0.0 (3.0.0)

## Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics  
PROPAN-2-OL ; CAS No. : 67-63-0  
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

## Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements

P102 Keep out of the reach of children.  
P101 If medical advice is needed, have product container or label at hand.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P271 Use only outdoors or in a well-ventilated area.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 Dispose of contents/container in accordance with local official regulations.

## Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

## 2.3 Other hazards

### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics ; REACH No. : 01-2119471843-XXXX ; EC No. : 927-241-2

Weight fraction :  $\geq 70 - < 75$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 STOT SE 3 ; H336 Aquatic Chronic 3 ; H412 EUH066

PROPAN-2-OL ; REACH No. : 01-2119457558-25-0000 ; EC No. : 200-661-7 ; CAS No. : 67-63-0

Weight fraction :  $\geq 15 - < 20$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; REACH No. : 01-2119475515-33 ; EC No. : 921-024-6

Weight fraction :  $\geq 5 - < 10$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 STOT SE 3 ; H336 Aquatic Chronic 2 ; H411

ISOPROPYL ACETATE ; REACH No. : 01-2119537214-46-0000 ; EC No. : 203-561-1 ; CAS No. : 108-21-4

Weight fraction :  $\geq 1 - < 5$  %

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336 EUH066

## Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

In case of respiratory tract irritation, consult a physician. Remove casualty to fresh air and keep warm and at rest.

#### In case of skin contact

In case of skin reactions, consult a physician. Wash immediately with: Water and soap

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately (poison centre).

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.

In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

### 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Foam , Carbon dioxide (CO<sub>2</sub>) , Dry extinguishing powder , Sand , Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet , Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

### 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

## 6.4 Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists

Handle and open container with care. Use only in well-ventilated areas.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention. Always close containers tightly after the removal of product.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.  
Protect against UV-radiation/sunlight, Heat.

#### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

### 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL-/PNEC-values

##### DNEL/DMEL

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : > 5000 mg/kg

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : > 4951 mg/kg

Limit value type : DNEL/DMEL (Industrial)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : > 5000 mg/kg

Limit value type : DNEL/DMEL (Industrial)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : > 49510 mg/kg

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type : DNEL/DMEL (Consumer)

**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**SCHWEIZER-EFFAX** since 1908



**Trade name :** HEY Tex Impra Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 89 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 319 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 26 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 500 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 888 mg/kg  
Assessment factor : day(s)  
ISOPROPYL ACETATE ; CAS No. : 108-21-4  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 168 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 335 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 16 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Consumer)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 16 mg/kg  
Assessment factor : day(s)  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 275 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 558 mg/m<sup>3</sup>  
Limit value type : DNEL/DMEL (Worker)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 27 mg/kg  
Assessment factor : day(s)

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Impra Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

## PNEC

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type : PNEC (Aquatic, freshwater)  
Exposure route : Water (Including sewage plant)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Exposure route : Water (Including sewage plant)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 552 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 552 mg/kg  
Limit value type : PNEC (Soil)  
Exposure route : Soil  
Limit value : 28 mg/kg  
Limit value type : PNEC (Secondary poisoning)  
Limit value : 160 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Exposure route : Water (Including sewage plant)  
Limit value : 2251 mg/l

ISOPROPYL ACETATE ; CAS No. : 108-21-4

Limit value type : PNEC (Aquatic, freshwater)  
Exposure route : Water (Including sewage plant)  
Limit value : 0,22 mg/l  
Limit value type : PNEC (Aquatic, intermittent release)  
Exposure route : Water (Including sewage plant)  
Limit value : 1,1 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Exposure route : Water (Including sewage plant)  
Limit value : 0,022 mg/l  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 1,25 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 0,125 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Exposure route : Soil  
Limit value : 0,35 mg/kg

## 8.2 Exposure controls

### Personal protection equipment

Use personal protection equipment.

### Eye/face protection



Eye glasses with side protection EN 166

### Skin protection

#### Hand protection



**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**SCHWEIZER-EFFAX** since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

**By short-term hand contact :** Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

**By long-term hand contact :** Check leak tightness/impermeability prior to use.

Suitable material CR (polychloroprene, chloroprene rubber) , NBR (Nitrile rubber) , Butyl caoutchouc (butyl rubber) , NR (natural rubber, Natural latex)

Breakthrough time 480 min

Thickness of the glove material Polychloroprene - CR (0.5 mm) Nitrile rubber/nitrile latex - NBR (0.35 mm) Butyl rubber - Butyl (0.5 mm)

**Required properties :** When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

**Remark :** Check leak tightness/impermeability prior to use. Breakthrough times and swelling properties of the material must be taken into consideration.

**Body protection**

Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres

Chemical resistant safety shoes DIN EN 13832-2

**Respiratory protection**

Usually no personal respiratory protection necessary.

**General information**

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance :** Aerosol

**Colour :** colourless

**Odour :** characteristic

**Safety characteristics**

**Physical state :**

Liquid

**Melting point/freezing point :**

not determined

**Initial boiling point and boiling range :** ( 1013 hPa ) >

35 °C

**Decomposition temperature :**

not determined

**Flash point :**

< 23 °C

**Auto-ignition temperature :**

> 200 °C

**Lower explosion limit :**

0,6 Vol-%

**Upper explosion limit :**

12 Vol-%

**Lower explosion limit :**

not applicable

**Upper explosion limit :**

not applicable

**Vapour pressure :** ( 50 °C )

not determined

**Dampfdruck :** ( 20 °C )

43 hPa

**Density :** ( 20 °C )

0,78 g/cm<sup>3</sup>

**Relative density :** ( 20 °C )

not determined

**Relative density :** ( 20 °C )

not determined

**Solvent separation test :** ( 20 °C )

not determined

**Water solubility :** ( 20 °C )

practically insoluble

**Fat solubility :** ( 20 °C )

Not determined.

**pH :**

not determined

**log P O/W :**

not determined

**Flow time :** ( 20 °C )

not applicable

DIN-cup 4 mm

**Viscosity :** ( 20 °C )

not applicable

**Cinematic viscosity :** ( 40 °C )

not applicable

**Solvent content :**

> 85 Weight-%

**Odour threshold :**

not determined

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

**Relative vapour density :** ( 20 °C ) not determined  
**Vapourisation rate :** not determined  
**Flammable solids :** Not applicable.  
**Oxidising liquids :** Not relevant.  
**Explosive properties :** Not determined.  
**Corrosive to metals :** Not relevant.

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

See section 7 of the safety data sheet.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Corrosion

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

## SECTION 12: Ecological information

### 12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

#### Aquatic toxicity

Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8 Additional ecotoxicological information

#### Additional information

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

(CH: Verordnung über den Verkehr mit Abfällen (VeVA), Verordnung über die Vermeidung und die Entsorgung von Abfällen (VVEA)) Dispose according to legislation.

### 13.2 Additional information

Non-contaminated packages may be recycled. P501 - Return partially emptied packaging/container/can to the point of sale or to a special waste collection point. Dispose of empty packaging/container/can to municipal waste.

## SECTION 14: Transport information

**Safety Data Sheet**  
according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : HEY Tex Imprä Spray  
Revision date : 07.10.2024  
Print date : 23.07.2025

Version (Revision) : 4.0.0 (3.0.0)

**14.1 UN number or ID number**

UN 1950

**14.2 UN proper shipping name**

Land transport (ADR/RID)

AEROSOLS

Sea transport (IMDG)

AEROSOLS

Air transport (ICAO-TI / IATA-DGR)

AEROSOLS, FLAMMABLE

**14.3 Transport hazard class(es)**

Land transport (ADR/RID)

Class(es) : 2  
Classification code : 5F  
Hazard identification number (Kemler No.) : 23  
Tunnel restriction code : D  
Special Provisions : LQ 11 · E 0  
Hazard label(s) : 2.1

Sea transport (IMDG)

Class(es) : 2.1  
EmS-No. : F-D / S-U  
Special Provisions : LQ 11 · E 0  
Hazard label(s) : 2.1

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 2.1  
Special Provisions : E 0  
Hazard label(s) : 2.1

**14.4 Packing group**

**14.5 Environmental hazards**

Land transport (ADR/RID) : No  
Sea transport (IMDG) : No  
Air transport (ICAO-TI / IATA-DGR) : No

**14.6 Special precautions for user**

None

**14.7 Maritime transport in bulk according to IMO instruments**

No transport as bulk according to IBC Code.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

Aerosol Directive (75/324/)

**Authorisations and/or restrictions on use**

**Restrictions on use**

**Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)**

Use restriction according to REACH annex XVII, no. : 3, 40, 75

**National regulations**

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

CH: Chemicals Ordinance, ChemO

## Other regulations, restrictions and prohibition regulations

### Switzerland

#### VOCV-Regulation

See section 9.1

## 15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2 % aromatics ; REACH No. : 01-2119471843-XXXX ; EC No. : 927-241-2

PROPAN-2-OL ; REACH No. : 01-2119457558-25-0000 ; EC No. : 200-661-7; CAS No. : 67-63-0

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; REACH No. : 01-2119475515-33 ; EC No. : 921-024-6

ISOPROPYL ACETATE ; REACH No. : 01-2119537214-46-0000 ; EC No. : 203-561-1; CAS No. : 108-21-4

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 15. Restrictions on use

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road  
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways  
ATE = Estimated values for acute toxicity  
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water  
CAS = Chemical Abstract Service Number  
CE = European Community  
CLP = EC Regulation 1272/2008  
CMR = cancerogen mutagen reprotoxic  
DIN = German Institute for Standardisation  
DNEL = Derived No Effect Level  
DMEL = Derived Minimum Effect Level  
EC50 = Mean effective concentration that induces a defined effect other than death in a test population  
EG = European Community  
EN = European standards  
IATA = International Air Transport Association Dangerous Goods Regulation  
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities  
IMDG = International Maritime Code for dangerous goods  
ISO = International Organization for Standardization  
LC50 = Lethal Concentration 50%  
LD50 = Lethal dose 50%  
MAK = Maximum workplace concentration  
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter  
NOEC = No Observed Effect Concentration  
OECD = Organisation for Economic Cooperation and Development  
PBT = Persistent, bioaccumulative and toxic  
pH = potential of hydrogen  
PNEC = Predicted no effect concentration  
PPM = parts per million  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)  
RID = Regulation concerning the international transport of dangerous goods by train  
TRGS = Technical rules for hazardous substances (german rules)  
TWA = Time-weighted average exposure limit

**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**SCHWEIZER-EFFAX** since 1908



**Trade name :** HEY Tex Imprä Spray  
**Revision date :** 07.10.2024  
**Print date :** 23.07.2025

**Version (Revision) :** 4.0.0 (3.0.0)

UN-Number = UN number for the transport of dangerous goods  
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation  
VOC = Volatile organic Compounds

**16.3 Key literature references and sources for data**

Storage of hazardous substances" guidelines, 3rd revised and updated edition 2018

**16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**16.5 Relevant H- and EUH-phrases (Number and full text)**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

**16.6 Training advice**

None

**16.7 Additional information**

This product is a bag-on-valve spray can. Bag-on-valve is a spray can with a two-chamber system. The product without propellant is in the inner chamber (foil bag). Between the bag with product and the can is compressed air, which, when the nozzle is pressed, exerts pressure on the bag and conveys the product to the outside.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.