# Schweizer-Effax ......

Oeffax

Effol

Trade name : Effol Hoof Oil

Version :

1.0.0

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

Revision date :

Print date :

Effol Hoof Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Products for animals

# 1.3 Details of the supplier of the safety data sheet

25.10.2023

30.01.2024

### Supplier

Schweizer-Effax GmbH

Street : Westring 24

Postal code/City: 48356 Nordwalde

Country : Deutschland

**Telephone :** +49 2573 9373-0

**Telefax :** +49 2573 9373-73

**Information contact :** info@schweizer-effax.de www.schweizer-effax.de

### **1.4 Emergency telephone number**

Germany: Poisons Information Centre Berlin Charité – Universitätsmedizin Berlin Campus Benjamin Franklin Haus VIII, UG Hindenburgdamm 30 D-12203 Berlin +49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] None

### 2.2 Label elements

None

2.3 Other hazards

None

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Hazardous ingredients

Lavender oils ; REACH No. : 01-2120746582-51-xxxx ; EC No. : 289-995-2; CAS No. : 8000-28-0 Weight fraction :  $\geq 0, 1 - < 0, 5 \%$ 

Veight fraction : Classification 1272/2008 [CLP] :  $\geq$  0,1 - < 0,5 % Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 Aquatic Chronic 3 ; H412

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

Page : 1 / 8

# Schweizer-Effax ......

Effol Orfax



Trade name : Revision date : Print date : Effol Hoof Oil 25.10.2023 30.01.2024

Version :

1.0.0

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice.

### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

### In case of skin contact

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. After contact with molten product, cool skin area rapidly with cold water. In case of skin irritation, consult a physician.

#### After eye contact

In case of eye irritation consult an ophthalmologist.

### **Following ingestion**

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Seek medical advice immediately (poison centre).

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known. In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

#### **4.3 Indication of any immediate medical attention and special treatment needed** treatment: Symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Sand , Carbon dioxide (CO2) , Dry extinguishing powder , Co-ordinate fire-fighting measures to the fire surroundings. **Unsuitable extinguishing media** 

Water

# 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 5.3 Advice for firefighters Special protective equipment for firefighters Full protection suit , Use suitable breathing apparatus.

**5.4 Additional information** Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product. Provide adequate ventilation.
- 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3 Methods and material for containment and cleaning up

Take up mechanically. Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

# SCHWEIZER-EFFAX stra 1908

Effol Orian



Trade name :	
Revision date :	
Print date :	

Effol Hoof Oil 25.10.2023 30.01.2024

Version :
-----------

1.0.0

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Use only in well-ventilated areas. It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists Use only in well-ventilated areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Protect against UV-radiation/sunlight, Heat.

### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

### Hints on joint storage

Storage class (TRGS 510): 12

### 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational exposure limit values**

RAPE OIL ; CAS No. : 8002-13-9

Limit value type (country of origin) :	TRGS 900 ( D )
Parameter :	A: respirable fraction
Limit value :	5 mg/m <sup>3</sup>
Peak limitation :	4(II)
Remark :	Y
Version :	23.06.2022

### 8.2 Exposure controls

Personal protection equipment

Use personal protection equipment.

### Eye/face protection



Eye glasses with side protection EN 166

#### Skin protection Hand protection



**By short-term hand contact** : Hand protection is not required. **By long-term hand contact** : Check leak tightness/impermeability prior to use.

Page : 3 / 8

# SCHWEIZER-EFFAX

Weight-%

g/cm<sup>3</sup>

Oeffax Effol



Trade name :	Effol Hoof Oil		
Revision date :	25.10.2023	Version :	1.0.0
Print date :	30.01.2024		

Suitable material Butyl caoutchouc (butyl rubber), NBR (Nitrile rubber) Breakthrough time 480 min Remark : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374 **Body protection** Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton), heat-resistant synthetic fibres Chemical resistant safety shoes DIN EN 13832-2

### **Respiratory protection**

Usually no personal respirative protection necessary.

### **General information**

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

			P. P.	
Appearance :	Liquid			
Colour :	green			
Odour :	characteristic			
Safety charact	eristics			
Physical state :				Liquid
Melting point/free	zing point :			not applicable
Decomposition tem	perature :			not determined
Flash point :				not applicable
Auto-ignition temp	erature :			not applicable
Lower explosion lin	nit :			not applicable
Upper explosion lin	nit :			not applicable
Density :		( 20 °C )	approx.	0,86
Water solubility :		( 20 °C )		not determined
Fat solubility :		( 20 °C )		Not determined.
pH :				not applicable
log P O/W :				not determined
Viscosity :		( 20 °C )		not relevant
Cinematic viscosity	· :	(40 °C)		not relevant
Odour threshold :				not determined
Relative vapour de	nsity :	( 20 °C )		not determined
Vapourisation rate				not determined
Maximum VOC con	tent (EC) :			0
Flammable solids :		Not applicable.		
Flammable gases :		Not applicable.		
Oxidising liquids :		Not relevant.		
Explosive propertie	es :	Not applicable.		

None

# **SECTION 10: Stability and reactivity**

Corrosive to metals :

9.2 Other information

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

Not relevant.

### 10.2 Chemical stability

# Schweizer-Effax ......

Effol Originar



Trade name :	Effol Hoof Oil	
Revision date :	25.10.2023	Version :
Print date :	30.01.2024	

1.0.0

The product is chemically stable under recommended conditions of storage, use and temperature.

### **10.3 Possibility of hazardous reactions**

No known hazardous reactions.

#### **10.4 Conditions to avoid** See section 7 of the safety data sheet.

# 10.5 Incompatible materials

None known.

# **10.6 Hazardous decomposition products**

Does not decompose when used for intended uses.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

### Corrosion

Based on available data, the classification criteria are not met.

### **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2 Information on other hazards

### Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components. **Aquatic toxicity** 

# Schweizer-Effax ......

Effoi Orffax I



Trade name : Revision date : Print date : Effol Hoof Oil 25.10.2023 30.01.2024

Version :

1.0.0

Based on available data, the classification criteria are not met.

### 12.2 Persistence and degradability

The insoluble part can be precipitated mechanically in suitable sewage treatment plants.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8 Additional ecotoxicological information

#### Additional information

Do not allow uncontrolled discharge of product into the environment.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Dispose according to legislation.

### **13.2 Additional information**

Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group No dangerous good in sense of these transport regulations.

# 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

# 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

# **SECTION 15: Regulatory information**

Page : 6 / 8

# Schweizer-Effax ......

Effoi Oeffax

LAVIT

Trade name : Revision date : Print date : Effol Hoof Oil 25.10.2023 30.01.2024

### Version :

1.0.0

### mixture **EU** legislation Authorisations and/or restrictions on use Restrictions on use Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions) Use restriction according to REACH annex XVII, no.: 75 National regulations Water hazard class Classification according to AwSV - Class : nwg (Non-hazardous to water) Other regulations, restrictions and prohibition regulations Switzerland **VOCV-Regulation** See section 9.1 **15.2 Chemical Safety Assessment** A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture a chemical safety assessment has been carried out : Lavender oils ; REACH No. : 01-2120746582-51-xxxx ; EC No. : 289-995-2; CAS No. : 8000-28-0 **SECTION 16: Other information** 16.1 Indication of changes 08. Occupational exposure limit values 16.2 Abbreviations and acronyms ADR = European Agreement concerning the carriage of Dangerous goods by Road ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways ATE = Estimated values for acute toxicity AwSV = Ordinance on Installations for Handling Substances Hazardous to Water CAS = Chemical Abstract Service Number CE = European Community CLP = EC Regulation 1272/2008 CMR = cancerogen mutagen reprotoxic DIN = German Institute for Standardisation DNEL = Derived No Effect Level DMEL = Derived Minimum Effect Level EC50 = Mean effective concentration that induces a defined effect other than death in a test population EG = European Community EN = European standards IATA = International Air Transport Association Dangerous Goods Regulation IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large *auantities* IMDG = International Maritime Code for dangerous goods ISO = International Organization for Standardization LC50 = Lethal Concentration 50% LD50 = Lethal dose 50% MAK = Maximum workplace concentration MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter NOEC = No Observed Effect Concentration OECD = Organisation for Economic Cooperation and Development PBT = Persistent, bioaccumulative and toxic pH = potential of hydrogen PNEC = Predicted no effect concentration PPM = parts per million

 $_{15.1}$  Safety, health and environmental regulations/legislation specific for the substance or

# Schweizer-Effax

Effoi Oriax



Trade name :	Effol Hoof Oil		
Revision date :	25.10.2023	Version :	1.0.0
Print date :	30.01.2024		

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)

RID = Regulation concerning the international transport of dangerous goods by train

TRGS = Technical rules for hazardous substances (german rules)

TWA = Time-weighted average exposure limit

UN-Number = UN number for the transport of dangerous goods

- vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation
- VOC = Volatile organic Compounds

# 16.3 Key literature references and sources for data

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.