

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Effol All-In-One Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses

Oils/waxes, low in solvents, aromatics removed

1.3 Details of the supplier of the safety data sheet

Supplier

Schweizer-Effax GmbH

Street : Westring 24

Postal code/City : 48356 Nordwalde

Country : Deutschland

Telephone : +49 2573 9373-0

Telefax : +49 2573 9373-73

Information contact : info@schweizer-effax.de
www.schweizer-effax.de

1.4 Emergency telephone number

Germany: Poisons Information Centre Berlin
Charité – Universitätsmedizin Berlin
Campus Benjamin Franklin
Haus VIII, UG
Hindenburgdamm 30
D-12203 Berlin
+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements

P102 Keep out of the reach of children.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains Anethole.May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

WHITE MINERAL OIL (PETROLEUM) ; REACH No. : 01-2119487078-27-XXXX ; EC No. : 232-455-8; CAS No. : 8042-47-5

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

Weight fraction : $\geq 80 - < 85$ %
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304
3-METHYLBUTAN-1-OL ; EC No. : 204-633-5; CAS No. : 123-51-3
Weight fraction : $\geq 1 - < 5$ %
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Eye Dam. 1 ; H318 Acute Tox. 4 ; H332 Skin Irrit. 2 ; H315 STOT SE 3 ; H335 EUH066
ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5
Weight fraction : $\geq 1 - < 5$ %
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319
Specific Conc. Limits : Eye Irrit. 2 ; H319: C ≥ 50 %
Anethole ; EC No. : 203-205-5; CAS No. : 104-46-1
Weight fraction : $\geq 0,5 - < 1$ %
Classification 1272/2008 [CLP] : Skin Sens. 1 ; H317

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. After contact with molten product, cool skin area rapidly with cold water. In case of skin irritation, consult a physician.

After eye contact

In case of eye irritation consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Seek medical advice immediately (poison centre).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.

In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Sand , Carbon dioxide (CO₂) , Dry extinguishing powder , Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

5.3 Advice for firefighters

Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas. It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists
Use only in well-ventilated areas.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Protect against UV-radiation/sunlight , Heat.

Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

Storage class (TRGS 510) : 10

7.3 Specific end use(s)

Observe instructions for use. see section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5

Limit value type (country of origin) : TRGS 900 (D)

Parameter : A: respirable fraction

Limit value : 5 mg/m³

Peak limitation : 4(II)

Remark : Y

Version : 27.10.2020

3-METHYLBUTAN-1-OL ; CAS No. : 123-51-3

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

Limit value type (country of origin) : TRGS 900 (D)
Limit value : 20 ppm / 73 mg/m³
Peak limitation : 2(I)
Remark : Y
Version : 23.06.2022

Limit value type (country of origin) : STEL (EC)
Limit value : 10 ppm / 37 mg/m³
Version : 20.06.2019

Limit value type (country of origin) : TWA (EC)
Limit value : 5 ppm / 18 mg/m³
Version : 20.06.2019

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) : TRGS 900 (D)
Limit value : 200 ppm / 380 mg/m³
Peak limitation : 4(II)
Remark : Y
Version : 23.06.2022

DNEL-/PNEC-values

DNEL/DMEL

WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5
Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Limit value : 25 mg/kg
Assessment factor : mg/kg bw/day
Limit value type : DNEL Consumer (systemic)
Exposure route : Dermal
Limit value : 93,02 mg/kg
Assessment factor : mg/kg bw/day
Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Limit value : 34,78 mg/kg
Assessment factor : mg/kg bw/day
Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Limit value : 217,05 mg/kg
Assessment factor : mg/kg bw/day
Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Limit value : 164,56 mg/kg
Assessment factor : mg/kg bw/day

ETHANOL ; CAS No. : 64-17-5

Limit value type : DNEL/DMEL (Consumer)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 114 mg/m³
Limit value type : DNEL/DMEL (Consumer)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 206 mg/kg
Assessment factor : day(s)
Limit value type : DNEL/DMEL (Consumer)
Exposure route : Oral
Exposure frequency : Long-term

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

Limit value : 87 mg/kg
Assessment factor : day(s)
Limit value type : DNEL/DMEL (Worker)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 950 mg/m³
Limit value type : DNEL/DMEL (Worker)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 343 mg/kg
Assessment factor : day(s)

PNEC

ETHANOL ; CAS No. : 64-17-5

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,96 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,79 mg/l
Limit value type : PNEC (Sediment, freshwater)
Limit value : 3,6 mg/kg
Limit value type : PNEC (Sediment, marine water)
Limit value : 2,9 mg/kg
Limit value type : PNEC (Soil)
Limit value : 0,63 mg/l
Limit value type : PNEC (Secondary poisoning)
Limit value : 0,38 g/kg

8.2 Exposure controls

Personal protection equipment

Use personal protection equipment.

Eye/face protection



Eye glasses with side protection EN 166

Skin protection

Hand protection



By short-term hand contact : Hand protection is not required.

By long-term hand contact : Check leak tightness/impermeability prior to use.

Suitable material Butyl caoutchouc (butyl rubber) , NBR (Nitrile rubber)

Breakthrough time 480 min

Remark : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

Body protection

Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres

Chemical resistant safety shoes DIN EN 13832-2

Respiratory protection

Usually no personal respirative protection necessary.

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid
Colour : colourless
Odour : characteristic

Safety characteristics

Physical state :		Liquid
Melting point/freezing point :		not relevant
Initial boiling point and boiling range :	(1013 hPa)	> 100 °C
Decomposition temperature :		not determined
Flash point :		45,3 °C
Auto-ignition temperature :		not applicable
Lower explosion limit :		not applicable
Upper explosion limit :		not applicable
Vapour pressure :	(50 °C)	not applicable
Density :	(20 °C)	0,863 g/cm ³
Water solubility :	(20 °C)	not determined
Fat solubility :	(20 °C)	Not determined.
pH :	(20 °C / 100 g/l)	9,8
log P O/W :		not determined
Viscosity :	(20 °C)	32 mPa*s
Cinematic viscosity :	(40 °C)	not relevant
Odour threshold :		not determined
Relative vapour density :	(20 °C)	not determined
Vapourisation rate :		not determined
Maximum VOC content (EC) :		2,5 Weight-%
Flammable solids :		Not applicable.
Flammable gases :		Not applicable.
Oxidising liquids :		Not relevant.
Explosive properties :		Not applicable.
Corrosive to metals :		Not relevant.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

See section 7 of the safety data sheet.

10.5 Incompatible materials

None known.

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Corrosion

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

Aquatic toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

The insoluble part can be precipitated mechanically in suitable sewage treatment plants.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8 Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose according to legislation.

13.2 Additional information

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

Use restriction according to REACH annex XVII, no. : 40, 75

National regulations

Water hazard class

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

Other regulations, restrictions and prohibition regulations

Switzerland

VOCV-Regulation

See section 9.1

15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture a chemical safety assessment has been carried out :

WHITE MINERAL OIL (PETROLEUM) ; REACH No. : 01-2119487078-27-XXXX ; EC No. : 232-455-8; CAS No. : 8042-47-5
ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

SECTION 16: Other information

16.1 Indication of changes

08. Occupational exposure limit values · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways
ATE = Estimated values for acute toxicity
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water
CAS = Chemical Abstract Service Number
CE = European Community
CLP = EC Regulation 1272/2008
CMR = cancerogen mutagen reprotoxic
DIN = German Institute for Standardisation
DNEL = Derived No Effect Level
DMEL = Derived Minimum Effect Level
EC50 = Mean effective concentration that induces a defined effect other than death in a test population
EG = European Community
EN = European standards
IATA = International Air Transport Association Dangerous Goods Regulation
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities
IMDG = International Maritime Code for dangerous goods
ISO = International Organization for Standardization
LC50 = Lethal Concentration 50%
LD50 = Lethal dose 50%
MAK = Maximum workplace concentration
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter
NOEC = No Observed Effect Concentration
OECD = Organisation for Economic Cooperation and Development
PBT = Persistent, bioaccumulative and toxic
pH = potential of hydrogen
PNEC = Predicted no effect concentration
PPM = parts per million
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)
RID = Regulation concerning the international transport of dangerous goods by train
TRGS = Technical rules for hazardous substances (german rules)
TWA = Time-weighted average exposure limit
UN-Number = UN number for the transport of dangerous goods
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation
VOC = Volatile organic Compounds

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

SCHWEIZER-EFFAX since 1908



Trade name : Effol All-In-One Oil
Revision date : 23.02.2023
Print date : 30.01.2024

Version (Revision) : 3.0.0 (2.0.0)

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
