Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

SCHWEIZER-EFFAX since 1906

Trade name :	HEY SPORT® Down Wash 2,5 L		
Revision date :	30.01.2023	**Version (Revision) :**	8.0.0 (7.0.0)
Print date :	05.12.2024		

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

HEY SPORT® Down Wash 2,5 L
Unique Formula Identifier (UFI) : 1G5V-1JUP-U00R-NQ34

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

liquid laundry detergent

1.3 Details of the supplier of the safety data sheet

Supplier

Schweizer-Effax GmbH

Street : Westring 24
Postal code/City : 48356 Nordwalde
Country : Deutschland
Telephone : +49 2573 9373-0
Telefax : +49 2573 9373-73
Information contact : info@schweizer-effax.de
www.schweizer-effax.de

1.4 Emergency telephone number

Germany: Poisons Information Centre Berlin
Charité – Universitätsmedizin Berlin
Campus Benjamin Franklin
Haus VIII, UG
Hindenburgdamm 30
D-12203 Berlin
+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

According to the Bridging-Model (DetNet) the following classification/labeling applies to all EC-countries and all EFTA-States (European Free Trade Association: Iceland, Liechtenstein, Norway und Switzerland) + Turkey:
Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Classification procedure

Bridging principle "Substantially similar mixtures".

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to the Bridging-Model (DetNet) the following classification/labeling applies to all EC-countries and all EFTA-States (European Free Trade Association: Iceland, Liechtenstein, Norway und Switzerland) + Turkey:

Hazard pictograms

Exclamation mark (GHS07)

Signal word

Warning

Hazard statements

H319	Causes serious eye irritation.

Precautionary statements

P102	Keep out of the reach of children.
P101	If medical advice is needed, have product container or label at hand.
P264	Wash hands thoroughly after handling.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts ; EC No. : 284-669-6; CAS No. : 84961-78-4

Weight fraction :	≥ 5 - < 10 %
Classification 1272/2008 [CLP] :	Acute Tox. 4 ; H302

Alcohols, C13-15-branched and linear, ethoxylated ; EC No. : 500-337-8; CAS No. : 157627-86-6

Weight fraction :	≥ 5 - < 10 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Chronic 3 ; H412

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction :	≥ 1 - < 5 %
Classification 1272/2008 [CLP] :	Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319
Specific Conc. Limits :	Eye Irrit. 2 ; H319: C ≥ 50 %

Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C7-C17 odd-numbered, C17-unsatd. alkyl) derivs. and sodium hydroxide and chloroacetic acid ; REACH No. : 01-2119487973-19-XXXX ; EC No. : 931-291-0

Weight fraction :	≥ 1 - < 3 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Aquatic Chronic 3 ; H412

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

In case of skin contact

In case of skin reactions, consult a physician. Wash immediately with: Water and soap

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately (poison centre).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.
In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Foam , Carbon dioxide (CO2) , Dry extinguishing powder , Sand
Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists
Use only in well-ventilated areas.

Protective measures

Measures to prevent fire

Usual measures for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.
Protect against UV-radiation/sunlight , Heat.

Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

Storage class (TRGS 510) : 12

7.3 Specific end use(s)

Observe instructions for use. see section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) :	TRGS 900 (D)
Limit value :	200 ppm / 380 mg/m³
Peak limitation :	4(II)
Remark :	Y
Version :	23.06.2022

DNEL-/PNEC-values

DNEL/DMEL

ETHANOL ; CAS No. : 64-17-5

Limit value type :	DNEL/DMEL (Consumer)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	114 mg/m³
Limit value type :	DNEL/DMEL (Consumer)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	206 mg/kg
Assessment factor :	day(s)
Limit value type :	DNEL/DMEL (Consumer)
Exposure route :	Oral
Exposure frequency :	Long-term
Limit value :	87 mg/kg
Assessment factor :	day(s)
Limit value type :	DNEL/DMEL (Worker)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	950 mg/m³
Limit value type :	DNEL/DMEL (Worker)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	343 mg/kg
Assessment factor :	day(s)

Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C7-C17 odd-numbered, C17-unsatd. alkyl) derivs. and

sodium hydroxide and chloroacetic acid

Limit value type :	DNEL worker (local)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	6,42 mg/kg
Assessment factor :	24 h
Limit value type :	DNEL worker (local)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	4,5 mg/m³

PNEC

ETHANOL ; CAS No. : 64-17-5

Limit value type :	PNEC (Aquatic, freshwater)
Limit value :	0,96 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Limit value :	0,79 mg/l
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	3,6 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	2,9 mg/kg
Limit value type :	PNEC (Soil)
Limit value :	0,63 mg/l
Limit value type :	PNEC (Secondary poisoning)
Limit value :	0,38 g/kg

Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C7-C17 odd-numbered, C17-unsatd. alkyl) derivs. and sodium hydroxide and chloroacetic acid

Limit value type :	PNEC (Aquatic, freshwater)
Limit value :	0,0053 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Limit value :	0,00053 mg/l
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	0,0208 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	0,0028 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	6,6 mg/l

8.2 Exposure controls

Personal protection equipment

Use personal protection equipment.

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

By short-term hand contact : Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

By long-term hand contact : Check leak tightness/impermeability prior to use.
Suitable material Butyl caoutchouc (butyl rubber) , NBR (Nitrile rubber)
Breakthrough time 480 min
Thickness of the glove material 5 mm

Remark : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

Body protection

Wear anti-static footwear and clothing
Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres
Chemical resistant safety shoes DIN EN 13832-2

Respiratory protection

Usually no personal respirative protection necessary.

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid
Colour : yellow
Odour : characteristic

Safety characteristics

Physical state :			Liquid		
Melting point/freezing point :				°C	
Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C	
Decomposition temperature :			not determined		
Flash point :			not applicable		
Auto-ignition temperature :			not applicable		
Lower explosion limit :			not applicable		
Upper explosion limit :			not applicable		
Vapour pressure :	(50 °C)		not applicable		
Density :	(20 °C)	approx.	1,033 - 1,039	g/cm³	
Solvent separation test :	(20 °C)		not applicable		
Water solubility :	(20 °C)		100	Weight-%	
Fat solubility :	(20 °C)		Not determined.		
pH :		approx.	8,5		
log P O/W :			not determined		
Flow time :	(20 °C)		not applicable		DIN-cup 4 mm
Viscosity :	(20 °C)		80 - 200	mPa*s	
Cinematic viscosity :	(40 °C)		not relevant		
Odour threshold :			not determined		
Relative vapour density :	(20 °C)		not determined		
Vapourisation rate :			not determined		
Maximum VOC content (EC) :			10	Weight-%	
Flammable solids :	Not applicable.				
Flammable gases :	Not applicable.				
Oxidising liquids :	Not relevant.				
Explosive properties :	Not applicable.				
Corrosive to metals :	Not relevant.				

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity
No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability
The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions
No known hazardous reactions.

10.4 Conditions to avoid
See section 7 of the safety data sheet.

10.5 Incompatible materials
None known.

10.6 Hazardous decomposition products
Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met.

Corrosion
Skin corrosion/irritation
Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation
Causes serious eye irritation.

Respiratory or skin sensitisation
Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
Carcinogenicity
Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met.
Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
Based on available data, the classification criteria are not met.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting potential:
The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested.The statements on toxicology were derived from the properties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

Aquatic toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8 Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose according to legislation.

13.2 Additional information

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe technical data sheet or other information on the label.

EU legislation

Regulation (EC) No. 648/2004 [Detergents regulation]

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 40, 75

National regulations

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Water hazard class

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

15.2 Chemical Safety Assessment

Bridging principle "Substantially similar mixtures". A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C7-C17 odd-numbered, C17-unsatd. alkyl) derivs. and sodium hydroxide and chloroacetic acid ; REACH No. : 01-2119487973-19-XXXX ; EC No. : 931-291-0

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 03. Hazardous ingredients · 07. Hints on joint storage - Storage class · 11. Acute toxicity · 11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. Respiratory or skin sensitisation · 11. Carcinogenicity · 11. Germ cell mutagenicity · 11. Reproductive toxicity · 11. STOT-single exposure · 11. STOT-repeated exposure · 11. Aspiration hazard · 12. Aquatic toxicity · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR) · 15. Restrictions on use · 15. Technische Anleitung zur Reinhaltung der Luft (TA-Luft) · 15. Sum substances WGK

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways
ATE = Estimated values for acute toxicity
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water
CAS = Chemical Abstract Service Number
CE = European Community
CLP = EC Regulation 1272/2008

CMR = cancerogen mutagen reprotoxic
DIN = German Institute for Standardisation
DNEL = Derived No Effect Level
DMEL = Derived Minimum Effect Level
EC50 = Mean effective concentration that induces a defined effect other than death in a test population
EG = European Community
EN = European standards
IATA = International Air Transport Association Dangerous Goods Regulation
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities
IMDG = International Maritime Code for dangerous goods
ISO = International Organization for Standardization
LC50 = Lethal Concentration 50%
LD50 = Lethal dose 50%
MAK = Maximum workplace concentration
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter
NOEC = No Observed Effect Concentration
OECD = Organisation for Economic Cooperation and Development
PBT = Persistent, bioaccumulative and toxic
pH = potential of hydrogen
PNEC = Predicted no effect concentration
PPM = parts per million
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)
RID = Regulation concerning the international transport of dangerous goods by train
TRGS = Technical rules for hazardous substances (german rules)
TWA = Time-weighted average exposure limit
UN-Number = UN number for the transport of dangerous goods
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation
VOC = Volatile organic Compounds

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Tthe classification/labeling applies to all EC-countries and all EFTA-States (European Free Trade Association: Iceland, Liechtenstein, Norway und Switzerland) + Turkey according to the Bridging-Model (DetNet).

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.